

20

TRADE-A-BLADE™

THE ORIGINAL EXCHANGE SYSTEM

PRODUCT
CATALOGUE





TABLE OF CONTENTS

CUTTING

SAW BLADES TRADE	3
SAW BLADES PROFESSIONAL	4
SAW BLADES INDUSTRIAL	8
RECIPROCATING SAW BLADES INDUSTRIAL	9
JIG SAW BLADES PROFESSIONAL	12
ROUTER BITS PROFESSIONAL	13
DIAMOND CUT OFF WHEELS PROFESSIONAL	15
DIAMOND BLADES PROFESSIONAL	16

DRILLING

DIAMOND HOLE SAWS TRADE	17
DIAMOND HD HOLE SAWS INDUSTRIAL	17
M42 Bi-METAL HOLE SAWS INDUSTRIAL	18
HOLE SAW MANDRELS INDUSTRIAL	19
M42 THIN WALL HOLE SAWS INDUSTRIAL	20

OSCILLATING

UNI-FIT OSCILLATING ACCESSORIES PROFESSIONAL	21
STARLOCK OSCILLATING ACCESSORIES INDUSTRIAL	27

SAW BLADES TRADE

TRADE-A-BLADE's line of entry level saw blades feature an Ultra-Thin Kerf design requiring less horsepower and reduced stock loss. These fast and durable light duty blades are perfect for general purpose framing and fine finish woodworking.

THIN KERF | FRAMING & FINISHING

- General purpose framing blade provides clean and quick rip and cross-cuts in dimensional lumber
- C3 grade micro-grain carbide keeps the cutting edge sharper for longer periods of time
- Hardened tool steel alloy body to ensure straight, accurate cuts
- ATB tooth grind with 10 – 15 degree hook angle

ITEM	DIAMETER	TEETH	ARBOR	UPC
TCSBT005	5-3/8"	30	5/8" 10 mm Bushing	628204662055
TCSBT008	6-1/2"	40	5/8" DKO	628204662086
TCSBT011	7-1/4"	24	5/8" DKO	628204662116
TCSBT011MP (12PC PACK)	7-1/4"	24	5/8" DKO	628204663007
TCSBT014	7-1/4"	60	5/8" DKO	628204662147
TCSBT023	10"	28	5/8"	628204662239
TCSBT026	10"	60	5/8"	628204662260
TCSBT150C (COMBO PACK)	10" 10"	28" 60"	5/8" 5/8"	628204662802
TCSBT029	12"	80	1"	628204662291



SAW BLADES PROFESSIONAL

TRADE-A-BLADE's line of professional full kerf saw blades are designed to meet the rigorous needs of professional users. Available for a variety of cutting applications, TRADE-A-BLADE™ professional blades feature high-grade carbide tips and premium hardened steel plates guaranteed to deliver superior results.

MITER WOOD

- Fine wood finishing blades designed for all miter, sliding compound miter and radial arm saws
- Thick C4 micro-grain carbide tips precision sharpened on all sides
- Laser-cut body, anti-vibration and expansion slots
- Special ATAF (Alternating Tooth / Alternating Face) tooth grind
- Provides ultra-smooth cutting
- For professional cabinet makers and trim carpenters

ITEM	DIAMETER	TEETH	ARBOR	UPC
TCSBP246	10"	80	5/8"	628204664462
TCSBP247	12"	80	1"	628204664479



MITER ALUMINUM

- For use on all miter, sliding compound miter and radial arm saws
- Designed to cut non-ferrous metals such as aluminum, brass, copper as well as plastics
- Triple chip grind with 0° hook angle eliminates blowout and kickback
- C6 micro-grain carbide tips precision sharpened on all sides
- Laser-cut body, anti-vibration and expansion slots reduce noise and vibration during operation
- Thin plate / thin kerf design

ITEM	DIAMETER	TEETH	ARBOR	UPC
TCSBP253	7-1/4"	60	5/8" DKO	628204664530
TCSBP255	8-1/4"	60	5/8" DKO	628204664554
TCSBP257	10"	100	5/8"	628204664578
TCSBP259	12"	100	1"	628204664592



SAW BLADES PROFESSIONAL

METAL CUTTING

- Specially engineered for high performance cutting of Steel Roofing, Metal Siding, Steel Pipe, Steel Studs and more
- 0° Hook angle reduces overfeeding, jamming, tooth breakage and kickback
- Modified Triple Chip Grind (MTCG) allows for easier cutting
- C6 micro-grain carbide tips

ITEM	DIAMETER	TEETH	ARBOR	UPC
TCSBP208	5-3/8"	50	5/8" + 10mm & 1/2" Bushings	628204664080
TCSBP209	5-3/8"	50	20 mm	628204664097
TCSBP210	6-1/2"	48	5/8" DKO	628204664103
TCSBP212	7-1/4"	48	5/8" DKO	628204664127
TCSBP214	8"	48	5/8"	628204664141
TCSBP216	10"	72	5/8"	628204664165
TCSBP218*	12"	80	1"	628204664189
TCSBP220*	14"	80	1"	628204664202

*LOW RPM SAWS ONLY!



MELAMINE PLUS

- The **ULTIMATE** finishing blade; features special 35° High ATB tooth design for ultra-smooth cutting of melamine, laminates, hardwoods and laminate flooring
- C4 Micro-grain carbide tips precision sharpened on all sides
- Laser-cut body, anti-vibration and expansion slots reduce noise and vibration during operation
- For professional cabinet makers, trim carpenters and avid Do-It-Yourselfers

ITEM	DIAMETER	TEETH	ARBOR	UPC
TCSBP271	7-1/4"	40	5/8" DKO	628204664714
TCSBP272	8-1/4"	60	5/8" DKO	628204664721
TCSBP273	10"	80	5/8"	628204664738
TCSBP274	12"	100	1"	628204664745



SAW BLADES PROFESSIONAL

SOCK-TOOTH

- Advanced sock-tooth technology allows carbide tips to withstand extreme impact while maintaining maximum tooth support
- Precision ground C3 micro-grain carbide tips provide a super fine cutting edge
- Aggressive 25° Hook Angle* for faster cutting (*5-3/8" to 8-1/4" BLADES ONLY)
- Anti-kickback* tooth design eliminates grabbing and jamming

ITEM	DIAMETER	TEETH	ARBOR	UPC
TCSBS401	5-3/8"	24	5/8" + 10mm & 1/2" Bushings	628204665018
TCSBS405	6-1/2"	24	5/8" DKO	628204665056
TCSBS405C (COMBO PACK)	6-1/2"	24 40	5/8" DKO 5/8" DKO	628204665414
TCSBS409	7-1/4"	24	5/8" DKO	628204665094
TCSBS409MP (12PC PACK)	7-1/4"	24	5/8" DKO	628204665506
TCSBS413	7-1/4"	40	5/8" DKO	628204665131
TCSBS417	8-1/4"	40	5/8" DKO	628204665179
TCSBS419	10"	28	5/8"	628204665193
TCSBS421	10-1/4"	36	5/8" DKO	628204665216
TCSBS421C (COMBO PACK)	10-1/4"	36	5/8" DKO	628204665407
TCSBS425	10"	40	5/8"	628204665254
TCSBS429	10"	50	5/8"	628204665292
TCSBS431	12"	40	1"	628204665315
TCSBS433	12"	60	1"	628204665339



PCD | POLYCRYSTALLINE DIAMOND CARBIDE

- Specially designed for cutting HardiePlank®, Cemplank® and other fiber cement products
- Features abrasion-resistant polycrystalline diamond carbide for faster cutting and increased cutting life
- Extra-large gullet design improves material removal and minimizes dust
- For professional HardiePlank® installers

ITEM	DIAMETER	TEETH	ARBOR	UPC
TCSBP280	5-3/8"	4	5/8" + 10mm & 1/2" Bushings	628204664806
TCSBP281	6-1/2"	4	5/8" DKO	628204664813
TCSBP282	7-1/4"	4	5/8" DKO	628204664820
TCSBP283	10"	6	5/8"	628204664837
TCSBP284	12"	8	1"	628204664844



SAW BLADES PROFESSIONAL

COMPOSITE DECKING

- Specially designed to maximize cutting life in composite decking materials and cellular PVC
- Modified Triple Chip Grind (MTCG) tooth profile for clean, cool and "Melt Free" cutting
- Ultra-thin kerf design provides fast and clean cuts with minimal material removal
- Protec® Non-Stick Coating reduces drag and shields the blade against gumming, corrosion and heat
- 5 Degree hook angle for an ultra-clean cut

ITEM	DIAMETER	TEETH	ARBOR	UPC
TCSBP226	7-1/4"	48	5/8" DKO	628204664264
TCSBP228	10"	64	5/8"	628204664288
TCSBP230	12"	72	1"	628204664301



REVERSA™ CUT

- The ultimate framing blade complete with revolutionary TWIN TOOTH technology
- Radical Bi-directional tooth profile doubles the blades cutting life
- Specially designed for ripping & cross cutting dimensional lumber
- C3 micro-grain carbide tips precision sharpened on all sides (Top / Face / Sides) for more precise cuts and longer cutting life
- Manufactured from Japanese tool steel for true and straight cuts
- Laser cut plate & expansion slots

ITEM	DIAMETER	TEETH	ARBOR	UPC
TCSBP287	5-3/8"	24	5/8" + 10mm & 1/2" Bushings	628204664875
TCSBP288	6-1/2"	24	5/8" DKO	628204664882
TCSBP290	7-1/4"	24	5/8" DKO	628204664905
TCSBP290MP (10PC PACK)	7-1/4"	24	5/8" DKO	628204665513
TCSBP293	8-1/4"	24	5/8" DKO	628204664936
TCSBP295	10"	28	5/8"	628204664950
TCSBP297	12"	28	1"	628204664974



HD SAW BLADES INDUSTRIAL

Trade-A-Blade's industrial saw blades are designed for **HEAVY DUTY** users that demand ultimate precision and maximum performance. All blades feature thick carbide tips, laser cut bodies and expansion slots. Trade-A-Blade's industrial blades are chrome plated to prevent rust build up and gumming which adds to a longer blade life.

FRAMING

- 75Cr1 German tool steel plates for exceptional dynamic balance
- Precision laser cut 3/32" plate & expansion slots to withstand rotational and thermal stresses
- Longer & thicker C4 grade micro-grain carbide for longer life and multiple sharpening's
- Aggressive hook angle for ripping without compromising the quality of crosscutting
- Chrome plated plates prevent rust or build up during normal use
- Laser cut body vents to minimize vibration and reduce noise level below 85 DBA

ITEM	DIAMETER	TEETH	ARBOR	UPC
TCSBI510	10"	28	5/8"	628204666107
TCSBI512	12"	28	1"	628204666121



FINISHING

- 75Cr1 German tool steel plates for exceptional dynamic balance
- Precision laser cut 3/32" plate & expansion slots to withstand rotational and thermal stresses
- Longer & thicker C4 grade micro-grain carbide for longer life and multiple sharpening's
- Chrome plated plates prevent rust or build up during normal use
- Laser cut body vents to minimize vibration and reduce noise level below 85 DBA

ITEM	DIAMETER	TEETH	ARBOR	UPC
TCSBI530	10"	40	5/8"	628204666305
TCSBI532	10"	60	5/8"	628204666329
TCSBI534	10"	80	5/8"	628204666343
TCSBI536	12"	40	1"	628204666367
TCSBI538	12"	80	1"	628204666381
TCSBI540	12"	100	1"	628204666404



RECIPROCATING SAW BLADES INDUSTRIAL

WOOD + METAL

- Variable teeth (milled and side set)
- For all types of wood with metal residues
- Made from industrial grade bi-metal steel
- Made in Germany

ITEM	LENGTH	TPI	UPC
TRBP200	8"	10/14	628204676007
TRBP201	12"	10/14	628204676014
TRBP202	6"	8/10	628204676021
TRBP203	8"	8/10	628204676038



POWER CURVE | METAL

- Teeth milled and wavy set
- Aggressive blade design optimizes the blade's angle of attack for faster cutting
- Flexible all-round blade for steel and stainless steel
- Made from industrial grade bi-metal steel
- Made in Germany

ITEM	LENGTH	TPI	UPC
TRBP210	6"	18	628204676106
TRBP211	9"	18	628204676113
TRBP212	6"	14	628204676120
TRBP213	9"	14	628204676137



DEMOLITION | WOOD

- Teeth milled and side set
- Special thick and robust blade for fast and straight cuts in wood with metal residue
- Especially for dismantling, rescue and salvage
- Made from industrial grade bi-metal steel
- Made in Germany

ITEM	LENGTH	TPI	UPC
TRBP220	6"	6	628204676205
TRBP221	9"	6	628204676212
TRBP222	12"	6	628204676229



RECIPROCATING SAW BLADES INDUSTRIAL

DEMOLITION | METAL

- Teeth milled and side set
- Special thick and robust blade for fast and straight cuts in steel thicker than 1/8"
- Especially for dismantling, rescue and salvage
- Made from industrial grade bi-metal steel
- Made in Germany

ITEM	LENGTH	TPI	UPC
TRBP223	6"	10	628204676236
TRBP224	9"	10	628204676243
TRBP225	12"	10	628204676250



M-TOOTH | WOOD WITH NAILS

- Features patented "M-Tooth" design
- Robust teeth work forward and back stroke; recommended for steel over 1/16"
- Quick and precise cuts with above-average life
- Made from industrial grade bi-metal steel
- Made in Germany

ITEM	LENGTH	TPI	UPC
TRBP230	6"	8	628204676304
TRBP231	8"	8	628204676311
TRBP232	6"	5	628204676328
TRBP233	8"	5	628204676335
TRBP234	12"	5	628204676342
TRBP235 (Double Ended)	9"	5	628204676359



CAST IRON + MASONRY

- Made with CARBIDE GRIT for long life
- High performance in cast steel pipe, cast iron and abrasive materials including ceramics, man-made stone, brick, marble, and more
- Uniformly applied, durable carbide grit particles on a flexible blade provide fast cuts without snagging or binding
- Made in Germany

ITEM	LENGTH	TPI	UPC
TRBP240	8"	CARBIDE	628204676403




RECIPROCATING SAW BLADES INDUSTRIAL

FIRE AND RESCUE | DEMOLITION

- Thick and robust blade for straighter cuts with less vibration and bending
- Aggressive blade design optimizes the blade's angle of attack for faster cutting
- Made from industrial grade bi-metal steel; HCS (High Carbon Steel) + MATRIX II HSS (High Speed Steel) for guaranteed performance


ITEM	LENGTH	TPI	UPC
TRBP245	6"	6	628204676458
TRBP247	9"	6	628204676472
TRBP249	12"	6	628204676496
TRBP251	6"	10	628204676519
TRBP253	9"	10	628204676533
TRBP255	12"	10	628204676557



CARBIDE TIPPED | DEMOLITION

- Enhanced carbide tipped blade for maximum cutting performance and increased durability
- Engineered to withstand cutting highly abrasive materials such as: HardiePlank™, cement board, pressure treated lumber and fiberglass
- Aggressive 6 TPI tooth designed for faster demolition work
- Wider and thicker plate for straighter cuts with less vibration
- Laser welded tungsten carbide band for longer life

ITEM	LENGTH	TPI	UPC
TRBP260	6"	6	628204676601
TRBP262	9"	6	628204676625
TRBP264	12"	6	628204676649



PRUNING BLADE

- Specially designed for Pruning
- High Carbon Steel construction for optimal durability and sharpness
- Precision-ground cutting edge for ultimate cutting performance
- Large blade gullets between teeth provide fast chip removal
- Made in Germany

ITEM	LENGTH	TPI	UPC
TRBP241	12"	3	628204676410



JIG SAW BLADES PROFESSIONAL

TRADE-A-BLADE jigsaw blades are engineered for superior cutting performance and long life. With a universal T-shank design that fits most professional jigsaws, Trade-A-Blade has the right blade for a variety of cutting applications, ensuring precise and consistent results.

HCS (High Carbon Steel)

- Made from HCS Tool Steel for maximum sharpness
- Exceptional performance in wood, laminated particle board or plastics
- Specialized tooth geometry for specific materials
- Teeth are side set and ground offering clean, fast and accurate cuts
- 3 Piece pack

ITEM	LNG	TPI	DESCRIPTION	UPC
TJBP350	4.5"	10	Clean Cutting Wood	628204676236
TJBP351	4.5"	10	Clean Cutting Wood Plunge	628204676243
TJBP352	4"	10	Laminate Down Cutting Reverse Tooth	628204676243
TJBP353	3.25"	20	Clean Cutting Wood Scrolling	628204676243
TJBP354	4.5"	10	Clean Cutting Wood Progressor	628204676250
TJBP355	4.5"	6	Fast Cutting Wood	628204677554

T-SHANK



BI-METAL

- Advanced Bi-Metal Construction - Flexes and resists breaking and extends blade life - UP TO **10X LONGER LIFE** than conventional blades
- Super sharp and reinforced teeth for exceptional performance in all cutting applications
- Specialized tooth geometry for specific materials
- Teeth are side set and ground offering clean, fast and accurate cuts
- 3 Piece pack

ITEM	LNG	TPI	DESCRIPTION	UPC
TJBP374	4"	10	Clean Cutting Hardwood	628204677745
TJBP375	3"	20	Clean Cutting Hardwood Scrolling	628204677752
TJBP376	4"	6	Fast Cutting Hardwood	628204677769
TJBP377	3"	18	Fast + Clean Cutting Metal	628204677776
TJBP378	3-3/8"	24	Clean Cutting Metal	628204677783

T-SHANK



ROUTER BITS PROFESSIONAL

STRAIGHT CUT

- Ideal for smooth, clean and general purpose routing, grooving or rabbeting
- These bits give a smooth, planed finish with a medium feed rate
- The workhorse of the routing world used for most applications requiring a flat, finished bottom

ITEM	DIAMETER	LENGTH	SHANK	UPC
TRTBP213	1/8"	1/2"	1/4"	628204678131
TRTBP200	1/4"	1"	1/4"	628204676007
TRTBP215	3/8"	1"	1/4"	628204678155
TRTBP201	1/2"	1"	1/4"	628204676014
TRTBP238	1/2"	1"	1/2"	628204678384
TRTBP202	3/4"	1"	1/2"	628204676021



FLUSH TRIM

- Twin flute cutters with bearing guide on the bottom of the shaft provide a smooth and accurate flush trim
- Primarily designed to flush trim overlaid surfaces such as laminates and veneers but can also be used for template work
- Suitable for straight and particularly shaped patterns
- Complete with fully enclosed ball bearing guide

ITEM	DIAMETER	LENGTH	SHANK	UPC
TRTBP203	1/2"	1/2"	1/4"	628204678032
TRTBP204	1/2"	1-1/4"	1/4"	628204678049
TRTBP236	1/2"	1-1/4"	1/2"	628204678360



HINGE MORTISING

- Two-flute carbide tipped for clean cutting of hinges, stair treads and general routing of large flat bottom area with quick clearance of waste
- Deep gullet allows maximum material removal
- Can be used with most popular templates

ITEM	DIAMETER	LENGTH	SHANK	UPC
TRTBP216	1/2"	3/4"	1/4"	628204678162



ROUTER BITS PROFESSIONAL

TOP BEARING FLUSH TRIM

- Twin flute cutters with the bearing guide mounted on the top of the shaft make this bit ideal for template work where the work piece is being routed out or grooved
- Suitable for straight and shaped patterns

ITEM	DIAMETER	LENGTH	SHANK	UPC
TRTBP205	1/2"	1"	1/4"	628204678056



PANEL PILOT

- For smoother, faster routing of panel cut-outs and veneers
- The drill point design allows for self-starting and drilling through materials
- The point plunges quickly, the carbide edge cuts quickly

ITEM	DIAMETER	LENGTH	SHANK	UPC
TRTBP206	3/8"	1"	1/4"	628204678063
TRTBP237	1/2"	1-1/4"	1/2"	628204678377



BEVEL TRIM

- These bits provide a bevel of 22° and are ideal for the smooth trimming of laminates
- Complete with fully enclosed ball bearing guide

ITEM	ANGLE	LENGTH	SHANK	UPC
TRTBP207	22°	3/8"	1/4"	628204678070



CHAMFER

- This bit is perfect for edges, mantels, frames, cutting boards and more
- Makes perfect 45° beveled edges for miters
- Complete with fully enclosed ball bearing guide

ITEM	ANGLE	LENGTH	SHANK	UPC
TRTBP211	45°	5/8"	1/4"	628204678117



ROUTER BITS PROFESSIONAL

CORNER ROUND

- These 2-fluted bits are often used to soften the edges of furniture, for window sashes and general joining work
- The shear angles provide the smoothest cut available
- Complete with fully enclosed ball bearing guide

ITEM	RADIUS	LENGTH	SHANK	UPC
TRTBP214	1/8"	1/2"	1/4"	628204678148
TRTBP208	1/4"	7/16"	1/4"	628204678087
TRTBP209	3/8"	5/8"	1/4"	628204678094
TRTBP210	1/2"	3/4"	1/4"	628204678100



SLOT CUTTER

- These bits are designed to give you super smooth cuts on all 3 cutting surfaces
- Ideal for picture frames, lap joints, cabinet doors and windowpanes and the installation of T-edging
- Complete with fully enclosed ball bearing guide

ITEM	DIAMETER	LENGTH	SHANK	UPC
TRTBP212	1/4"	1/4"	1/4"	628204678124



MEGA BITE DIAMOND CUT OFF WHEELS PROFESSIONAL

- **ONE BLADE. ALL CUTS** - No blade changes required, leading to increased productivity and reduced downtime
- Advanced diamond technology provides extreme cutting in wood, tubular metals, non-ferrous metals, masonry products, tiles and pvc
- Heat-resistant vacuum brazed to deliver extreme blade life
- High grade diamond rim to reduce dust residue and odors versus bonded abrasives - unlike bonded abrasives they don't wear down!

ITEM	DIAMETER	ARBOR	UPC
TDBS334	4"	5/8"	628204669344
TDBS335	4-1/2"	7/8"	628204669351
TDBS338	7"	5/8" DK0	628204669382



DIAMOND BLADES PROFESSIONAL

Our Professional diamond blades are engineered to provide the perfect balance between wear, fracture and exposure in order to maximize cutting performance. Available in Turbo, Segmented and Continuous rim.

- Constructed from superior grade diamonds
- High performance bond matrix for faster cutting and extended blade life
- Premium quality steel core plate minimizes vibration

ITEM	DESCRIPTION	ARBOR	UPC
Turbo Blades			
TDBP203	4" Turbo	7/8" - 5/8"	628204668033
TDBP206	4 1/2" Turbo	7/8" - 5/8"	628204668064
TDBP209	5" Turbo	7/8" - 5/8"	628204668095
TDBP212	7" Turbo	5/8" DKO	628204668125
TDBP215	10" Turbo	5/8"	628204668156
Segmented Rim			
TDBP224	4" Segmented	7/8" - 5/8"	628204668248
TDBP227	4 1/2" Segmented	7/8" - 5/8"	628204668279
TDBP230	5" Segmented	7/8" - 5/8"	628204668309
TDBP233	7" Segmented	5/8" DKO	628204668330
TDBP236	10" Segmented	5/8"	628204668361
TDBP237	12" Segmented	1" - 20mm	628204668378
TDBP238	14" Segmented	1" - 20mm	628204668385
Continuous Rim			
TDBP244	4" Continuous	7/8" - 5/8"	628204668446
TDBP247	4 1/2" Continuous	7/8" - 5/8"	628204668477
TDBP250	5" Continuous	7/8" - 5/8"	628204668507
TDBP253	7" Continuous	5/8" DKO	628204668538
TDBP256	10" Continuous	5/8"	628204668569
Glass Cutting			
TDBP263	7" Glass Cutting	5/8" DKO	628204668637
TDBP264	10" Glass Cutting	5/8"	628204668644



DIAMOND HOLE SAWS TRADE

- Diamond electroplating process allows for high performance at high speeds
- For use with hand held drills
- Includes drilling template; allows for accurate positioning

ITEM	DIAMETER	SHANK	UPC
TDHST003	1/4" (6mm)	1/4" (Round Shank)	628204672030
TDHST008	3/8" (10mm)	1/4" (Round Shank)	628204672085
TDHST013	1/2" (12mm)	1/4" (Round Shank)	628204672139
TDHST018	3/4" (19mm)	1/4" (Round Shank)	628204672184
TDHST023	1" (24mm)	1/4" (Round Shank)	628204672238
TDHST028	1 1/4" (32mm)	1/4" (Round Shank)	628204672283
TDHST033	1 3/8" (35mm)	3/8" (Round Shank)	628204672337
TDHST038	1 1/2" (38mm)	3/8" (Round Shank)	628204672382
TDHST043	2" (50mm)	3/8" (Round Shank)	628204672436
TDHST048	2 1/2" (64mm)	1/2" (Round Shank)	628204672481
TDHST052	3 3/8" (85mm)	1/2" (Round Shank)	628204672528
TDHST054	3 5/8" (92mm)	1/2" (Round Shank)	628204672542
TDHST060	4 3/8" (110mm)	1/2" (Round Shank)	628204672603



DIAMOND HD HOLE SAWS INDUSTRIAL

- Engineered to stand up to the hardest, most abrasive materials on the job site
- Utilizes high grade diamonds and heat-resistant vacuum braze to deliver best-in-class performance for extreme bit life
- For drilling holes in abrasive materials including tile, stone, glass, brick, block, and cement backer board

ITEM	DIAMETER	SHANK	UPC
TDHSI103	1/4" (6mm)	1/4" (Hex Shank)	628204673037
TDHSI108	3/8" (10mm)	1/4" (Hex Shank)	628204673082
TDHSI113	1/2" (12mm)	1/4" (Hex Shank)	628204673136
TDHSI118	3/4" (19mm)	1/4" (Hex Shank)	628204673181
TDHSI123	1" (24mm)	1/4" (Hex Shank)	628204673235
TDHSI128	1 1/4" (32mm)	1/4" (Hex Shank)	628204673280
TDHSI133	1 3/8" (35mm)	1/4" (Hex Shank)	628204673334
TDHSI138	1 1/2" (38mm)	1/4" (Hex Shank)	628204673389



M42 BI-METAL HOLESAWS INDUSTRIAL

TRADE-A-BLADE™ Industrial Grade M42 Bi-Metal Hole Saws are specially constructed with 8% cobalt for increased wear resistance and added tooth strength. Guaranteed to outperform, outlast and outclass the competition.

- Enhanced 4/6 variable tooth geometry provides quick, clean cuts and easy chip removal
- Fleim tooth design for faster cutting
- Deep cut body allows for 1-7/8" cutting depth
- Thick, hardened backing plate prevents mandrel run out

ITEM	DESCRIPTION	UPC
TBHSI502	3/4"	628204670029
TBHSI503	7/8"	628204670036
TBHSI505	1"	628204670050
TBHSI508	1 1/8"	628204670081
TBHSI511	1 1/4"	628204670111
TBHSI514	1 3/8"	628204670142
TBHSI517	1 1/2"	628204670173
TBHSI519	1-5/8"	628204670197
TBHSI520	1 3/4"	628204670203
TBHSI523	1 7/8"	628204670234
TBHSI526	2"	628204670265
TBHSI529	2 1/8"	628204670296
TBHSI532	2 1/4"	628204670326
TBHSI535	2 3/8"	628204670357
TBHSI538	2 1/2"	628204670388
TBHSI540	2-5/8"	628204670401
TBHSI541	2 3/4"	628204670418
TBHSI542	2 7/8"	628204670425
TBHSI544	3"	628204670449
TBHSI547	3 1/8"	628204670470
TBHSI550	3 1/4"	628204670500
TBHSI551	3 3/8"	628204670517
TBHSI553	3 1/2"	628204670531
TBHSI556	3 5/8"	628204670562
TBHSI559	3 3/4"	628204670593



M42 BI-METAL HOLESAWS INDUSTRIAL

ITEM	DESCRIPTION	UPC
TBHSI562	3 7/8"	628204670623
TBHSI565	4"	628204670654
TBHSI568	4 1/8"	628204670685
TBHSI571	4 1/4"	628204670715
TBHSI574	4 1/2"	628204670746
TBHSI575	4 3/4"	628204670753
TBHSI577	5"	628204670777
TBHSI578	5-1/4"	628204670784
TBHSI579	5-1/2"	628204670791
TBHSI580	6"	628204670807
TBHSI581	6-1/4"	628204670814
TBHSI584	6-5/8"	628204670845
TBHSI588	7-7/8"	628204670883

**HOLE SAW MANDRELS INDUSTRIAL**

- Available in Hex Shank & SDS plus
- Quick-change mandrels feature double set screws with a recessed combination head
- Spring-loaded Pozi-Lock mandrels feature collars that automatically engage drive pins
- Complete with fully heat treated 1/4" split point pilot drill bit to provide faster material penetration & less walking

ITEM	DESCRIPTION	UPC
TBHSI650	Adapter	628204671507
TBHSI652	12" Extension Bar	628204671521
TBHSI654	Replacement drill bit (Short)	628204671545
TBHSI656	1/4" Hex shank mandrel	628204671569
TBHSI658	3/8" Hex Shank mandrel	628204671583
TBHSI660	3/8" Spring-loaded mandrel	628204671606
TBHSI662	7/16" Spring-loaded mandrel	628204671620
TBHSI664	SDS Spring-loaded mandrel	628204671644
TBHSI666	SDS Plus mandrel	628204671668



M42 THIN WALL HOLESAWS INDUSTRIAL

- Made from industrial grade M42 HSS containing 8% cobalt for increased wear resistance and added tooth strength
- Thin Wall 3TPI design provides faster burr-free cuts than standard bi-metal hole saws
- Optimized for applications in thin gauge metal up to 1/8" thick
- Stop shoulder design prevents over-drilling
- Ejection spring automatically ejects slugs to boost productivity
- 1/4" Quick Change Hex Shank for use with Impact Drivers

ITEM	DESCRIPTION	UPC
TBHSI600	3/4" M42 Thin Wall Hole Saw	628204671002
TBHSI602	7/8" M42 Thin Wall Hole Saw	628204671026
TBHSI604	1" M42 Thin Wall Hole Saw	628204671040
TBHSI606	1 1/8" M42 Thin Wall Hole Saw	628204671064
TBHSI608	1 1/4" M42 Thin Wall Hole Saw	628204671088
TBHSI610	1 3/8" M42 Thin Wall Hole Saw	628204671101
TBHSI612	1 1/2" M42 Thin Wall Hole Saw	628204671125



OSCILLATING TOOL ACCESSORIES PROFESSIONAL



TRADE-A-BLADE **UNI FIT** oscillating accessories are designed to fit tightly on most major brands including...Bosch, Fein, Makita, Rockwell, Porter Cable, Black & Decker, Dewalt, Dremel and more. No matter what your project requires, TRADE-A-BLADES's high-performance accessories provide that "just right" solution for hundreds of professional applications. Some brands may require adapter [TOTP241].

WOOD FLUSH CUT

- High carbon steel blade for all high performance wood and plastic cutting applications
- Ideal for precision flush and plunge cutting; applications include trimming door jambs, installation of flooring, wall trim, shimming and more

ITEM	DESCRIPTION	UPC
TOTP200	3/4" Wood Flush Cut Blade	628204674003
TOTP201	1-1/4" Wood Flush Cut Blade	628204674010
TOTP209	1-1/2" Extra Long Flush Cut Wood Blade	628204674096
TOTP210	2-3/4" Wood Flush Cut Blade	628204674102
TOTP212	1-1/2" Quick Wood Flush Cut Blade	628204674126
TOTP271	1 1/4" Wood Flush Cut Blades (3 Pack)	628204674713
TOTP276	1 1/4" Wood Flush Cut Blades (10 Pack)	628204674768



JAPANESE TOOTH - HARDWOOD FLUSH CUT

- Aggressive Japanese Tooth pattern is ideal for all flush and plunge cutting applications in hardwoods
- Bi-Metal with hardened teeth for extended blade life

ITEM	DESCRIPTION	UPC
TOTP202	1-1/4" Japanese Tooth Bi-Metal Blade	628204674027
TOTP207	1-1/4" Power Curve Japanese Tooth Bi-Metal Blade	628204674072
TOTP211	2-3/4" Japanese Tooth Bi-Metal Blade	628204674119
TOTP213	3" Japanese Tooth Wood Blade*	628204674133
TOTP273	1-1/4" Japanese Tooth Bi-Metal Blade (3 Pack)	628204674737
TOTP274	2-3/4" Japanese Tooth Bi-Metal Blade (3 Pack)	628204674744
TOTP278	1-1/4" Japanese Tooth Bi-Metal Blade (10 Pack)	628204674782
TOTP279	2-3/4" Japanese Tooth Bi-Metal Blade (10 Pack)	628204674799



*High Carbon Steel Only

OSCILLATING TOOL ACCESSORIES

PROFESSIONAL

WOOD + METAL FLUSH CUT

- Bi-Metal cutting edge for applications including wood, non-ferrous metals, wood with nails, thin sheet metal, drywall and plastic
- Ideal for precision flush and plunge cutting

ITEM	DESCRIPTION	UPC
TOTP203	1-1/4" Wood + Metal Flush Cut Blade (Titanium)	628204674034
TOTP204	1-1/4" Metal Flush Cut Blade	628204674041
TOTP208	1-3/4" Wood with Nails Flush Cut Blade (Titanium)	628204674089
TOTP272	1 1/4" Wood + Metal Flush Cut Blades (3 Pack)	628204674720
TOTP277	1 1/4" Wood + Metal Flush Cut Blades (10 Pack)	628204674775



CARBIDE FLUSH CUT

- **HEAVY DUTY** Carbide cutting edge for applications including wood, screws & nails, fiber cement board, plasterboard, plastic, sheet metal, copper and aluminum
- Ideal for precision flush and plunge cutting up to 1-5/8"

ITEM	DESCRIPTION	UPC
TOTP205	1-1/4" Carbide Flush Cut Blade	628204674058



SEGMENTED WOOD + METAL FLUSH CUT

- Segmented TITANIUM Bi-Metal cutting edge for applications including wood, non-ferrous metals, wood with nails, thin sheet metal, drywall and plastic
- Ideal for linear, flush and plunge cutting

ITEM	DESCRIPTION	UPC
TOTP215	3-3/8" Wood with Nails Flush Cut Blade (Titanium)	628204674157



OSCILLATING TOOL ACCESSORIES
PROFESSIONAL

POWER CURVE WOOD + METAL PLUNGE CUT

- Bi-Metal cutting edge for applications including wood, non-ferrous metals, thin sheet metal, drywall and plastic
- **POWER CURVE** design – features a rounded edge for precise control during plunge cuts

ITEM	DESCRIPTION	UPC
TOTP206	1-1/4" Power Curve Wood + Metal Plunge Cut Blade	628204674065



POWER CURVE SOFT METAL FLUSH CUT

- Bi-Metal cutting edge for soft non-ferrous metals and thin sheet metal
- **POWER CURVE** design – features a convexed cutting edge for precise controlled cuts on tubular metals

ITEM	DESCRIPTION	UPC
TOTP214	1-1/4" Power Curve Soft Metal Flush Cut Blade	628204674140



QUADRUPLE EDGE BLADE

- **4 BI-METAL CUTTING EDGES** for applications including wood, non-ferrous metals, thin sheet metal, drywall and plastic
- Ideal for linear, flush and plunge cutting
- Large flat surface allows for easy access into corners

ITEM	DESCRIPTION	UPC
TOTP216	Quadruple Edge Blade	628204674164



DRYWALL CUTTING BLADE

- Manufactured from premium high carbon steel
- Unique blade design ideal for precision plunge & general purpose cutting in drywall

ITEM	DESCRIPTION	UPC
TOTP217	Drywall Cutting Blade	628204674171



OSCILLATING TOOL ACCESSORIES
PROFESSIONAL

CAULKING SCRAPER BLADE

- Unique tapered design perfect for tight areas
- Used to remove caulking and joint sealants

ITEM	DESCRIPTION	UPC
TOTP229	Caulking Scraper Blade	?



FLEXIBLE SCRAPER BLADE

- High-carbon steel edge used to remove old elastic sealants, paint and adhesive residues
- Helps remove wallpaper and worn gaskets

ITEM	DESCRIPTION	UPC
TOTP230	Flexible Scraper Blade	628204674300



TRIANGLE CARBIDE RASP

- Ideal for aggressive material removal in small, tight areas
- Used to rasp wood, hardened adhesives, thin set, mortar and masonry

ITEM	DESCRIPTION	UPC
TOTP231	Triangle Carbide RASP	628204674317



FAST CUT GROUT REMOVAL BLADE

- Premium carbide grit coating for long life in grout and tile applications
- Segmented blade design for quick removal of grout between tiles

ITEM	DESCRIPTION	UPC
TOTP232	Fast Cut Grout Removal Blade	628204674324



OSCILLATING TOOL ACCESSORIES

PROFESSIONAL

TEAR DROP GROUT AND MORTAR REMOVAL BLADE

- Designed to remove grout, cut and shape plaster, concrete and masonry
- Ideal for coarse grinding or rasping and aggressive material removal
- Quick removal of grout between tiles

ITEM	DESCRIPTION	UPC
TOTP235	Teardrop Grout and Mortar Removal Blade	628204674355



MULTI-MATERIAL BLADE

- Manufactured from premium High Carbon Steel
- Ideal for cutting asphalt shingles, thin PVC floors, carpet & padding, roofing fabric & foam insulation

ITEM	DESCRIPTION	UPC
TOTP233	Multi-Material Blade	628204674331



3-IN-1 CUTTING, SCRAPER AND RASPING

- UNIQUE 3-IN-1 design is ideal for cutting wood & metal, scraping paint & adhesives and removing grout & mortar

ITEM	DESCRIPTION	UPC
TOTP236	3-in-1 Cutting, Scrapper and Rasping	628204674362



3-IN-1 RIGID SCRAPER & KNIVES

- Ideal for cutting asphalt shingles, thin PVC floors, carpet & padding, roofing fabric & foam insulation
- Removes old paint and residues from glues and adhesives

ITEM	DESCRIPTION	UPC
TOTP237	3-in-1 Rigid Scraper & Knives	628204674379



OSCILLATING TOOL ACCESSORIES

PROFESSIONAL

SANDING

- Ideal for detail sanding in small areas and corners
- Hook and loop back; for use with Norske sanding sheets
- Multi-piece pack includes 5 X 80G, 5 X 120G and 5 X 220G sanding sheets

ITEM	DESCRIPTION	UPC
TOTP234	Hook & Loop Pad	628204674348
TOTP240	Sandpaper - Wood (15 pack)	628204674409



C-CLIP ADAPTER

- Allows use of UNI-FIT OTA's with BOSCH® (MX30E, MXH180B) and DREMEL (MM40, MM45) tool-free oscillating multi-tools

ITEM	DESCRIPTION	UPC
TOTP241	C-Clip Adapter	628204674416



20PC OSCILLATING ACCESSORY SET

- Made from superior grade HCS + HSS for EXTENDED LIFE
- **Set Includes:** 1-1/4" Wood / Metal Flush Cut Blade (TiC) (NOTP203), 2-3/4" Japanese Tooth Bi-Metal Blade (NOTP211), 3-3/8" Wood with Nails Flush Cut Blade (TiC) (NOTP215), Fast Cut Grout Removal Blade (NOTP232), Hook & Loop Pad (NOTP234), 10Pcs of assorted sanding paper sheets (80G, 120G, 220G)

ITEM	DESCRIPTION	UPC
TOTP270	20PC Oscillating accessory set	628204674706



STARLOCK OSCILLATING TOOL ACCESSORIES INDUSTRIAL


















Choose genuine **STARLOCK®** accessories for that “just right” solution for thousands of professional applications.


- Featuring STARLOCK® mounting system. Fits a variety of major brands including...Fein, Bosch, Makita, Milwaukee, Rockwell, Ridgid, Hitachi, Skil, Craftsman and more
- Made from superior grade materials for extended life in all applications while delivering job site durability
- Up to 35% faster work progress
- Made in Germany



ITEM	DESCRIPTION	UPC
STARLOCK		
TOTSL300	1-3/8" Wood with nails	628204675000
TOTSL301	1-3/8" Japanese Tooth hardwood	628204675017
TOTSL302	3-3/8" Segmented wood	628204675024
TOTSL303	Circular HSS blade metal	628204675031
TOTSL304	3" Segmented diamond blade	628204675048
TOTSL330	Flexible scraper blade	628204675307
TOTSL331	Triangular carbide RASP	628204675314
TOTSL332	Backing sanding pad (2pc pack)	628204675321
TOTSL382	5pc pack sandpaper 60 Grit	628204675826
TOTSL384	5pc pack sandpaper 120 Grit	628204675840
TOTSL386	5pc pack sandpaper 180 Grit	628204675864
STARLOCK PLUS		
TOTSLP340	4" Segmented blade metal	628204675406
TOTSLP341	2-9/16" Wood with nails	628204675413
TOTSLP342	2-9/16" Japanese Tooth hardwood	628204675420
TOTSLP343	1-1/8" Wood & thin metal	628204675437
TOTSLP344	3-9/16" Carbide saw blade	628204675444
STARLOCK MAX		
TOTSLM365	1-1/4" Wood with nails	628204675659
TOTSLM366	1-5/8" Wood with nails	628204675666


















THIN KERF TRADE		5-3/8" - 7-1/4"	\$4.00	 6 28204 69987 7
		10" - 12"	\$8.00	 6 28204 69988 4
MITER WOOD & ALUMINUM PROFESSIONAL		All Sizes	\$12.00	 6 28204 69989 1
METAL CUTTING PROFESSIONAL		5-3/8" - 6-1/2"	\$8.00	 6 28204 69988 4
		7-1/4" - 14"	\$12.00	 6 28204 69989 1
MELAMINE PLUS PROFESSIONAL		All Sizes	\$12.00	 6 28204 69989 1
SOCK TOOTH PROFESSIONAL		5-3/8" - 7-1/4" (24T)	\$4.00	 6 28204 69987 7
		7-1/4" (40T) - 8-1/4"	\$8.00	 6 28204 69988 4
		10" - 12"	\$12.00	 6 28204 69989 1
COMPOSITE DECKING PROFESSIONAL		7-1/4"	\$8.00	 6 28204 69988 4
		10" - 12"	\$12.00	 6 28204 69989 1




TRADE-A-BLADE

THE ORIGINAL EXCHANGE SYSTEM™



<p>PCD PROFESSIONAL</p>		<p>All Sizes</p>	<p>\$12.00</p>	
<p>REVERSA™ CUT PROFESSIONAL</p>		<p>5-3/8" - 7-1/4"</p>	<p>\$4.00</p>	
		<p>8-1/4"</p>	<p>\$8.00</p>	
		<p>10" - 12"</p>	<p>\$12.00</p>	
<p>FRAMING & FINISHING INDUSTRIAL</p>		<p>All Sizes</p>	<p>\$12.00</p>	
<p>CONTINUOUS, TURBO SEGMENTED PROFESSIONAL</p>		<p>4" - 5"</p>	<p>\$4.00</p>	
		<p>7" - 10"</p>	<p>\$8.00</p>	
		<p>12" - 14"</p>	<p>\$12.00</p>	
<p>GLASS CUTTING PROFESSIONAL</p>		<p>7"</p>	<p>\$8.00</p>	
		<p>10"</p>	<p>\$12.00</p>	





DIAMOND HOLE SAWS

TRADE



1/4" - 1-3/8"

\$4.00



1-1/2" - 2-1/2"

\$8.00



3-3/8" - 4-3/8"

\$12.00



DIAMOND HD HOLE SAWS

INDUSTRIAL



1/4" - 3/4"

\$4.00



1" - 1-1/2"

\$8.00



M42 BI-METAL HOLE SAWS

INDUSTRIAL



7/8" - 3-3/4"

\$4.00



3-7/8" - 6"

\$8.00



6-1/4" - 7-7/8"

\$12.00



HOLE SAW MANDRELS

INDUSTRIAL



All Sizes

\$4.00



M42 THIN WALL BI-METAL HOLE SAWS

INDUSTRIAL



All Sizes

\$4.00




RECIPROCATING SAW BLADES

INDUSTRIAL



All Sizes

\$2.00





**MEGA BITE DIAMOND
CUT OFF WHEEL**
PROFESSIONAL



4" - 4-1/2"

\$4.00



7"

\$8.00



**UNIFIT OSCILLATING
TOOL ACCESSORIES**
PROFESSIONAL



All Sizes EXCEPT
TOTP205 1-1/4" Carbide Blade

\$4.00



TOTP205 1-1/4"
Carbide Blade

\$8.00



**STARLOCK OSCILLATING
TOOL ACCESSORIES**
INDUSTRIAL



TOTSL332

\$2.00



TOTSL300
TOTSL301
TOTSL302
TOTSL303
TOTSL330
TOTSL331
TOTSLP341
TOTSLP342
TOTSLP343
TOTSLM365
TOTSLM366

\$4.00



TOTSLP340
TOTSLP344

\$8.00



TOTSL304

\$12.00




ROUTER BITS
PROFESSIONAL



All Sizes

\$4.00



TRADE-A-BLADE

THE ORIGINAL EXCHANGE SYSTEM™

www.tradeablade.com

NORSKE TOOLS LTD

Unit 101 19052 26 Ave

Surrey BC, V3Z 3V7

Fax: 1.888.875.5697

Toll Free: 1.855.566.7753